

# EC-Safety Data Sheet conforming to 1907/2006/EG, Article 31


Ciric B 272

Date 05.07.2020 Page 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	Ciric B 272
1.2 Relevant identified uses of the substance or mixture and uses advised against	Lubrication Paste - Only suitable for industrial use. Not suitable for commercial or private use.
1.3 Details of the supplier of the safety data sheet	MOLYDUVAL GmbH * Halskestr.6 * 40880 Ratingen * Germany * +49 (2102) 9757-00 * safety@molyduval.com
1.4 Emergency telephone number	+49 (2102) 9757-20 (24h)

## SECTION 2: Hazards Identification

2.1 Classification of the substance or mixture 1272/2008/EG	hazard statements / category of danger / Hazard class H318 / Eye Dam. 1 / Risk of serious damage to eyes. H412 / Aquatic Chronic 3 / Harmful to aquatic life with long lasting effects. The product is classified acc to 1272/2008/EG
2.2 label elements	 <p>signal word: Warning GHS05 Corrosive H318 Risk of serious damage to eyes. H412 Harmful to aquatic life with long lasting effects. P273 Avoid release to the environment. P280 Wear protective gloves, clothing, eye and face protection. P305+P351+P338 For a few minutes, rinse cautiously with water: In case of contact with eyes. Remove contact lenses if possible. Continue rinsing. P310 Immediately call a poison center or physician. P501 Dispose of contents and container in accordance with local regulations of the disposal.</p>
2.3 Other hazards	May cause long-term adverse effects in the aquatic environment.

## SECTION 3: Composition - Information on Ingredients

3.2 Mixtures	Mixture of substances listed below with nonhazardous additions. ----- 5,0 % - 10,0 % Calcium hydroxide EG: 215-137-3 CAS: 1305-62-0 H315 Skin Irrit. 2 / H318 Eye Dam. 1 / H335 STOT SE 3 (MTCACAOH)
3.3 Additional information	Substances listed on ECHA's Candidate List of Substances of Very High Concern (SVHC) are not intentional components of this product. It is therefore unlikely that those substances are contained in the product in quantities > 0.1%.

## SECTION 4: First Aid Measures

General Instructions	Remove victim from danger zone, without exposing yourself to any personal risk. Remove wetted clothing and shoes and clean items before using them again.
After Inhalation	Remove exposed person to fresh air.
After Skin Contact	Wash with plenty of soap and plenty of water. Consult a doctor if skin irritation persists.
After Eye Contact	Long lasting rinse Rinse opened with water, if necessary, use eye wash. If symptoms persist, seek medical advice.
After Ingestion	Rinse mouth and drink plenty of water. Do not induce vomiting. If symptoms persist, seek medical advice.
Most important symptoms and effects, both acute and delayed	No information available
Indication of any immediate medical attention and special treatment needed	Prolonged or repeated exposure may cause skin discomfort.

## SECTION 5: Fire-Fighting Measures

5.1 Extinguishing media	Suitable extinguishing media : Water spray. Foam. Dry powder. Carbon dioxide (CO <sub>2</sub> ). Unsuitable extinguishing media : Strong water jet.
5.2 Special hazards arising from the substance or mixture	In case of a fire, there may arise poisonous (CO, CO <sub>2</sub> and other organic gases) gases. Run-off does not allow to enter drains or watercourses by firefighters.
5.3 Advice for firefighters	If necessary, use in case of fire, self contained breathing apparatus. Collect contaminated firefighting water separately, must not be discharged into drains. Fire residues and contaminated firefighting water must be disposed of in accordance with local regulations. Extinguishing measures to the surroundings. Standard procedure for chemical fires. Extinguishing measures to the surroundings.

# EC-Safety Data Sheet conforming to 1907/2006/EG, Article 31

Ciric B 272

Date 05.07.2020 Page 2

## SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures	Do not expose to environment- Hold back with blocking.
6.2 Special Environmental Protection	Avoid entering into drains, water courses or soil. Fire or police agree, if the product has escaped into a water course or sewage system, or has contaminated the soil and plants.
6.3 Methods and material for containment and cleaning up	Use oil sucking materials f.e chemical absorbents.
6.4 Reference to other sections	n.a.

## SECTION 7: Handling and Storage

7.1 Precautions for safe handling	Open and handle with the general caution when handling lubricants.
7.2 Conditions for safe storage, including any incompatibilities	Storage according to WGK (Chapter 12) Storage Class VCI: 11 Flammable Solids

## SECTION 8: Limiting and supervising the exposure / personal protection

8.1 Control parameters	Calcium hydroxide EG: 215-137-3 CAS: 1305-62-0: AGW long-term value: 1E mg / m <sup>3</sup> 2 (I); Y, EU, DFG DNELs: Short-term inhalation / local 4 mg / m <sup>3</sup> professional Long-term inhalation / local 1 mg / m <sup>3</sup> professional Short-term inhalation / local 4 mg / m <sup>3</sup> in general Long-term inhalation / local 1 mg / m <sup>3</sup> in general PNECs: Fresh water: 490 mg / l Soil: 1080 mg / kg Sediment (fresh water): 1080 mg / k
8.2 Limitation and supervision of exposure - Personal Protective Equipment	Respiratory protection: Not required, except in case of aerosol formation. Avoid inhalation of vapors. Use respiratory protective device against the effects of fumes / dust / aerosol. Combination filter, eg. As DIN 3181 ABEK Hand protection: Gloves - oil resistant. Glove material: nitrile rubber, butyl rubber or fluoro rubber. Recommended thickness: = 0,4 mm. Penetration time of glove material Value for the permeation: Level = 480 min. The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of breakthrough time is recommended. Eye protection: Safety glasses Hygiene measures: Wash hands before breaks and immediately after handling the product. Keep working clothes separately. Take off all contaminated clothing immediately. Protective measures: Handle in accordance with good industrial hygiene and safety practice. Body protection: work clothes
8.3 Delimitation and monitoring of environmental exposure	Do not discharge into surface water or drains

## SECTION 9: Physical and Chemical Properties

Appearance Form	pasty
Color	copper
Appearance	like grease
Odour	like lubrication oil
Boiling Point / Boiling Range	-
Melting Point / Melting Range	-
Flash Point	Not applicable
Autogenous Ignition Temperature	-
Upper Explosion Limit	-
Lower Explosion Limit	-
Vapor Density	-
Specific Gravity, 20°C	1,06 g/cm <sup>3</sup>
Water Solubility	No
Partition Coefficient n-oct/water	-

# EC-Safety Data Sheet conforming to 1907/2006/EG, Article 31

Ciric B 272

Date 05.07.2020 Page 3

VOC-Content -

## SECTION 10: Stability and Reactivity

10.1 Reactivity	This product is stable in normal-use temperatures.
10.2 Chemical Stability	Stable under normal conditions
10.3 Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use. Fumes can combine with air to form an explosive mixture.
10.4 Conditions to be avoided	No information available
10.5 Incompatible Materials	no information available
10.6 Hazardous products of instability / decomposition	no

## SECTION 11: Toxicological Information

Toxicological Information	Calcium hydroxide EG: 215-137-3 CAS: 1305-62-0: Oral LD50> 2000 mg / kg (rat) Dermal LD50> 2500 mg / kg (rabbit)
Symptoms after ingestion	no data available
At Skin Contact	No hazard.
Symptoms after Inhalation	no data available
Symptoms after eye contact	Risk of serious damage to eyes
Other information	No sensitizing effects known.
Toxicological Tests	There are no human toxicological data.
Further Toxicologic Effects	The product is classified acc to 1272/2008 [CLP]

## SECTION 12: Ecological Information

12.1 Toxicity	Calcium hydroxide EG: 215-137-3 CAS: 1305-62-0: EC 50 184,57 mg/l (Algentoxizität) (48h/) LC 50 158 mg/l (Akute Daphnientoxizität) (96h/) 160 mg/l (Akute Fischtoxizität) (96h)
12.2 Persistence and degradability	Product is WGK 3. Don't let into canalisation.
12.3 Bioaccumulative potential	not information available
12.4 Mobility in soil	No information available
12.5 Results of PBT and vPvB assessment	No information available
12.6 Other adverse effects	No information available

## SECTION 13: Disposal Considerations

13.1 Waste treatment methods	The waste key number in accordance with the European refuse catalog (EAK) depends on the industry and the process, from which the waste originates. For this reason one cannot indicate a waste key number overall for a product, but the waste producer must let itself individually possible be assigned these in arrangement with the responsible authorities and/or a disposal enterprise.
------------------------------	--

## SECTION 14: Transport information in accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

14.1 UN-No	Not classified as dangerous in the meaning of transport regulations
14.2 UN proper shipping name	No
14.3 Transport hazard class	No transport regulations.
14.4 Packing group	n.a.
14.5 Environmental hazards	n.a.
14.6 Special precautions for user	No information available
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

## SECTION 15: Regulatory Information

# EC-Safety Data Sheet conforming to 1907/2006/EG, Article 31

Ciric B 272

Date 05.07.2020 Page 4

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

DE: water polluting category: 2  
DE: Employment restrictions concerning juveniles must be observed (§ 22 JArbSchG).  
WGK 2

15.2 Chemical safety assessment

Labelling according to EU-guidelines 1999/45 EG

## SECTION 16: Further Information

16.1 Full text of the dangers in section 2 and 3

GHS05 Corrosive  
H318 Risk of serious damage to eyes.  
H412 Harmful to aquatic life with long lasting effects.  
P273 Avoid release to the environment.  
P280 Wear protective gloves, clothing, eye and face protection.  
P305+P351+P338 For a few minutes, rinse cautiously with water: In case of contact with eyes. Remove contact lenses if possible. Continue rinsing.  
P310 Immediately call a poison center or physician.  
P501 Dispose of contents and container in accordance with local regulations of the disposal.

16.2 Further Information

The information in this SDS is correct to the best of our knowledge at the time of its publication. The information is intended to give you advice about the safe handling of the product named in this safety during storage, processing, transport and disposal. The details are not transferable to other products. The information given in this safety combination with any other materials or in any process, or undergoes processing, can use the information in this SDS, to the extent that it does not specifically indicate otherwise, are not transferred to the new made material. The material data referred to in item 9 are safety information, but no guarantees on properties. Warranties are excluded without clarification of the technical intended use and the operating conditions. If you have further questions we are available.